

~~z~~p28165:ST25.txt
SEQUENCE LISTING

<110> SUZUKI, Tsutomo
 <120> Method for Producing siRNA
 <130> P28165
 <140> 10/541,588
 <141> 2005-07-07
 <150> PCT/JP2004/000046
 <151> 2004-01-07
 <150> JP2003-002124
 <151> 2003-01-08
 <160> 8
 <170> PatentIn version 3.3
 <210> 1
 <211> 91
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> DNA template in synthesis of shRNA
 <400> 1
 aactggactt ccagaagaac actatgcttg ttcttctgga agtccagccc tatagtgagt 60
 cgtattagcg aagctaatac gactcactat a 91
 <210> 2
 <211> 17
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> T7 RNA polymerase promoter region
 <400> 2
 taatacgact cactata 17
 <210> 3
 <211> 19
 <212> DNA
 <213> Artificial sequence
 <220>
 <223> portion of a DNA sequence encoding a human laminin A/C protein
 <400> 3
 ctggacttcc agaagaaca 19
 <210> 4
 <211> 44
 <212> DNA
 <213> Artificial sequence

p28165.ST25.txt

```

<220>
<223> portion of an oligonucleotide for preparing an shRNA or siRNA

<400> 4
ccctatagtg agtcgtatta gcgaagctaa tacgactcac tata 44

<210> 5
<211> 91
<212> DNA
<213> Artificial sequence

<220>
<223> oligonucleotide for preparing an shRNA or siRNA

<220>
<221> misc_feature
<222> (3)..(21)
<223> n is a, c, g, or t

<220>
<221> n
<222> (29)..(47)
<223> n29 to n47 comprises a sequence that is antisense to the sequence
of n3 to n21.

<220>
<221> misc_feature
<222> (29)..(47)
<223> n is a, c, g, or t

<400> 5
aannnnnnnn nnnnnnnnnn nctatgctnn nnnnnnnnnn nnnnnnnccc tatagtgagt 60
cgtattagcg aagctaatac gactcactat a 91

<210> 6
<211> 50
<212> DNA
<213> Artificial sequence

<220>
<223> shRNA oligonucleotide

<220>
<221> misc_feature
<222> (4)..(22)
<223> n is a, c, g, t or u

<220>
<221> n
<222> (30)..(48)
<223> n30 to n48 comprises a sequence that is antisense to the sequence
of n22 to n4

<220>
<221> misc_feature
<222> (30)..(48)
<223> n is a, c, g, t or u

```

p28165.ST25.txt

<400> 6
gggnnnnnnnnn nnnnnnnnnnn nnagcauagn nnnnnnnnnnn nnnnnnnnnuu 50

<210> 7
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> siRNA oligonucleotide

<220>
<221> misc_feature
<222> (1)..(19)
<223> n is a, c, g, t or u

<400> 7
nnnnnnnnnnn nnnnnnnnnna g 21

<210> 8
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> siRNA oligonucleotide

<220>
<221> n
<222> (1)..(19)
<223> n1 to n19 of SEQ ID NO: 8 comprises a sequence that is antisense to the sequence of n19 to n1 of SEQ ID NO: 7.

<220>
<221> misc_feature
<222> (1)..(19)
<223> n is a, c, g, t or u

<400> 8
nnnnnnnnnnn nnnnnnnnnnnu u 21